Flexible, Printed and Thin Film Batteries 2019-2029

By IDTechEx research - Dr Xiaoxi He

Flexible, Thin, Stretchable, Rollable, Bendable, Foldable, Micro- and Large-Area Batteries for Applications in Wearable Devices, Skin Patches, Healthcare and Cosmetics, Internet of Things and People, Portable Electronics, RFID, Smart Packaging and more

The battery market has suddenly become alive again in recent years. On one hand, batteries are moving to new form factors, becoming ultra-thin, flexible, rollable, stretchable, etc. On the other hand, manufacturers are scrambling to offer large batteries aimed at addressing the large-sized electric vehicle, residential and grid applications. This market study is focused on the former. IDTechEx has been tracking the technology development, market progress and player activities of global flexible, thin-film, printed batteries (or batteries with novel form factors) since 2014.

Table of Content

- 1. EXECUTIVE SUMMARY AND CONCLUSIONS
- 1.1. Overview
- 1.2. Thin-film, flexible, printed batteries, and beyond
- 1.3. Structure of the report
- 1.4. Who should read this report
- 1.5. Research methodology
- 1.6. Future Direction of Battery Development
- 1.7. Status of battery markets
- 1.8. Thin, flexible and printed batteries are describing different aspects of battery features
- 1.9. Major drivers for the development of new-form-and-structural-factor batteries
- 1.10. Status of flexible batteries
- 1.11. Value proposition
- 1.12. Challenges and difficulties
- 1.13. Battery safety
- 1.14. Samsung's firegate
- 1.15. Development roadmap of batteries
- 1.16. Application market roadmap
- 1.17. Consumer electronics giants are moving into flexible batteries
- 1.18. LG Chem's offerings
- 1.19. Apple's contributions
- 1.20. Samsung never falling behind
- 1.21. Nokia's approach
- 1.22. Threats from other power sources
- 1.23. Typical specifications for a CR2032 lithium coin battery
- 1.24. Coin cell or thin battery, that is the question
- 1.25. Advantages and limitations of supercapacitors
- 1.26. Are supercapacitors threats to batteries?
- 1.27. Trends towards multiple energy harvesting
- 1.28. Comparison of different power options

- 1.29. Technologies included in the report
- 1.30. Technology benchmarking
- 1.31. Business model
- 1.32. A practical battery is a combination of many considerations
- 1.33. Strategies for battery providers focusing on new form and structural factors
- 1.34. Market by territory
- 1.35. Price perspectives
- 1.36. Addressable market
- 1.37. Market forecast assumptions
- 1.38. Market forecast 2019-2029 by application (number of units)
- 1.39. Market value forecast 2019-2029 by application
- 1.40. Market by application in 2019 and 2029
- 1.41. Market value forecast 2019-2029 by technology
- 1.42. Conclusions
- 2. BACKGROUND OF BATTERY KNOWLEDGE
- 2.1. What is a battery?
- 2.2. Glossary of terms specifications
- 2.3. Useful charts for performance comparison
- 2.4. Battery categories
- 2.5. Commercial battery packaging technologies
- 2.6. Comparison of commercial battery packaging technologies
- 2.7. Electrode design & architecture: important for different applications
- 2.8. Electrochemical inactive components in the battery
- 2.9. Primary vs secondary batteries
- 2.10. Popular battery chemistries
- 2.11. Primary battery chemistries and common applications
- 2.12. Numerical specifications of popular rechargeable battery chemistries
- 2.13. Battery technology benchmark
- 2.14. Nomenclature for lithium-based rechargeable batteries
- 2.15. Lithium-ion & lithium metal batteries
- 2.16. Lithium-ion batteries
- 3. WHY IS BATTERY DEVELOPMENT SO SLOW?
- 3.1. Overview
- 3.2. A big obstacle energy density
- 3.3. Battery technology is based on redox reactions
- 3.4. Electrochemical reaction is essentially based on electron transfer
- 3.5. Electrochemical inactive components reduce energy density
- 3.6. The importance of an electrolyte in a battery
- 3.7. Cathode & anode need to have structural order
- 3.8. Failure story about metallic lithium anode
- 3.9. Conclusion
- 4. THIN FILM BATTERIES
- 4.1. A thin battery is usually flexible to some extent
- 4.2. Typical thicknesses of the traditional battery components
- 4.3. Design differences between thin-film batteries and bulk-size batteries
- 4.4. Areal energy density vs. cell thickness
- 4.5. Shortcomings of thin-film batteries
- 4.6. Units used to characterize thin-film batteries
- 4.7. Comparison of various solid-state lithium-based batteries
- 4.8. Solid-State Thin-Film Lithium Battery
- 4.9. Most successful commercial thin-film battery
- 4.10. Players worked and working on thin-film lithium batteries

- 4.11. Construction of an ultra-thin lithium battery
- 4.12. Cathode material options for thin-film batteries
- 4.13. Cathode of thin film lithium battery
- 4.14. Anode of thin film lithium battery
- 4.15. Substrate options
- 4.16. Advantages and disadvantages of selected materials
- 4.17. Trend of materials and processes of thin-film battery in different companies
- 4.18. Ultra-thin micro-battery—NanoEnergy®
- 4.19. Micro-Batteries suitable for integration
- 4.20. From limited to mass production—STMicroelectronics
- 4.21. Summary of the EnFilm[™] rechargeable thin-film battery
- 4.22. NGK
- 4.23. NGK's EnerCerachip
- 4.24. Thin-film solid-state batteries made by Excellatron
- 4.25. Johnson Battery Technologies
- 4.26. JBT's advanced technology performance
- 4.27. Capacity increase
- 4.28. Technology of Infinite Power Solutions
- 4.29. Cost comparison between a standard prismatic battery and IPS' battery
- 4.30. Manufacturing Approaches of Solid-State Thin-Film Lithium Batteries
- 4.31. Summary of main fabrication technique for thin film batteries
- 4.32. PVD processes for thin-film batteries
- 4.33. Thin-film battery potentials
- 5. BATTERY SIZE REDUCTION: MICRO-BATTERIES
- 5.1. Architectures of micro-batteries
- 5.2. Introduction to micro-batteries
- 5.3. 3D printed lithium-ion micro-batteries
- 5.4. Primary Li/CFx micro-battery
- 6. BATTERIES WITH SPECIAL MECHANICAL PROPERTIES: FLEXIBLE, STRETCHABLE, ROLLABLE, BENDABLE

AND FOLDABLE BATTERIES

- 6.1. Flexible electronics
- 6.2. Realization of batteries' mechanical properties
- 6.3. Thickness-Derived Flexibility
- 6.4. Stresses generated in a the battery during flexing
- 6.5. Material-Derived Flexibility
- 6.6. Comparison of a flexible LIB with a traditional one
- 6.7. Introduction
- 6.8. Efforts on the electrolyte/ separator
- 6.9. Solid-state electrolyte
- 6.10. Safety of solid-state batteries
- 6.11. Improvement of solid-state battery
- 6.12. Comparison of organic and inorganic solid-state electrolyte
- 6.13. Polymer-based electrolytes
- 6.14. Bendable lithium-based battery
- 6.15. Lionrock Batteries
- 6.16. Highly conductive polymer gel electrolyte and lamination processes for roll-to-roll li-ion cell production
- 6.17. BrightVolt batteries
- 6.18. BrightVolt product matrix
- 6.19. Electrolyte
- 6.20. Toes Opto-Mechatronics
- 6.21. Hitachi Zosen's solid-state electrolyte
- 6.22. Hitachi Zosen's batteries

6.23.	Hitachi Maxell
6.24.	Ohara / PolyPlus
6.25.	Planar Energy
6.26.	ProLogium: Solid-state lithium ceramic battery
6.27.	LiPON-based solid-state batteries
6.28.	Ilika's stacked solid-state micro-battery
6.29.	Thin film vs. bulk solid-state batteries
6.30.	Efforts on the electrodes
6.31.	Innovative electrode
6.32.	From electrode innovation to flexible batteries
6.33.	Efforts on the current collectors
6.34.	Carbon materials for current collectors
6.35.	Thin and flexible alkaline battery developed by New Jersey Institute of Technology
6.36.	Flexible battery achieved by anode materials
6.37.	Efforts on the packaging
6.38.	Lithium-polymer pouch cells
6.39.	Techniques to fabricate aluminium laminated sheets
6.40.	Packaging procedures for pouch cells
6.41.	IGMBPOW
6.42.	Showa Denko Packaging
6.43.	Flexible lithium-ion battery from QinetiQ
6.44.	Semiconductor Energy Laboratory
6.45.	Flexible and foldable batteries: still working after being washed by the washing machine
6.46.	Flexible pouch cells
6.47.	LIBEST's flexible battery
6.48.	Panasonic's flexible batteries
6.49.	Flexibility enabled by packaging materials
6.50.	Combination
6.51.	Improvements of multiple components done by BattFlex
6.52.	AMO's flexible and bendable batteries: innovations
6.53.	AMO's flexible and bendable batteries: specifications
6.54.	AMO's flexible and bendable batteries: specifications
6.55.	AMO's flexible and bendable batteries: Product flow chart
6.56.	Device-Design-Derived Flexibility
6.57.	Cable-type batteries
6.58.	Cable-type battery developed by LG Chem
6.59.	Battery on wire
6.60. 6.61.	Huineng (Tianjin) Technology Development
	Large-area multi-stacked textile battery for flexible and rollable applications
6.62.	Stretchable lithium-ion battery — use spring-like lines
6.63. 6.64.	Foldable kirigami lithium-ion battery developed by Arizona State University
	Flexible electrode assembly
6.65.	Fibre-shaped lithium-ion battery that can be woven into electronic textiles
6.66.	Stretchable batteries that stick to the skin like a band-aid
6.67.	Flexible Battery Patent Analysis
6.68.	Flexible battery patent application and publication trend
6.69.	Flexible battery patent top assignees
6.70.	Flexible battery important companies
6.71.	Flexible battery geographic territories
6.72.	Flexible battery portfolio value distribution
7.	PRINTED BATTERIES

7.1. Printed battery technologies

- 7.2. Zinc-based printed batteries
- 7.3. Printed battery layout
- 7.4. Component options of printed batteries
- 7.5. Materials/compositions for printed batteries in research
- 7.6. Typical construction and reaction of printed disposable battery
- 7.7. Players in printed battery industry
- 7.8. Research strategy for development of printed batteries
- 7.9. Printed Battery Case Studies
- 7.10. Printed batteries from Fraunhofer ENAS
- 7.11. Fraunhofer ENAS' printed batteries
- 7.12. Varta Microbattery/Varta Storage
- 7.13. SoftBattery® from Enfucell
- 7.14. Blue Spark batteries
- 7.15. FlexEL LLC
- 7.16. Printed battery from Printed Energy
- 7.17. Paper batteries from Rocket Electric
- 7.18. Zinergy
- 7.19. Liten CEA Tech: printed battery
- 7.20. Rechargeable ZincPolyTM from Imprint Energy
- 7.21. Imprint Energy's technology innovations and specifications
- 7.22. Flexographically printed Zn/MnO2 battery
- 7.23. Screen printed secondary NMH batteries
- 7.24. Manufacturing Processes of Printed Batteries
- 7.25. Printing techniques
- 7.26. Descriptions of various printing techniques
- 7.27. Comparison of printing techniques
- 7.28. Throughput vs. feature size for typical printing processes
- 7.29. Advantages and disadvantages of printing techniques used for printed battery fabrication
- 7.30. Examples of production facilities
- 8. BATTERIES WITH OTHER VALUE PROPOSITIONS
- 8.1. Needle battery from Panasonic
- 8.2. Batteries with optical properties
- 8.3. Transparent components for batteries
- 8.4. Transparent battery developed by Waseda University
- 8.5. Grid-like transparent lithium-ion battery
- 9. OTHER LAMINAR AND FLEXIBLE ENERGY STORAGE
- 9.1. Laminar fuel cells
- 9.2. What is a capacitor
- 9.3. Comparison of construction diagrams of three basic types of capacitor
- 9.4. Supercapacitor
- 9.5. Electrolyte options for supercapacitors
- 9.6. Thin and flexible supercapacitor PowerWrapper
- 9.7. Two product lines fill the power gap
- 9.8. Battery-like thin-film supercapacitor by Rice University
- 9.9. Printed supercapacitors
- 9.10. University of Southern California
- 9.11. Flexible, transparent supercapacitors
- 9.12. Biological supercapacitors for pacemakers
- 10. MATERIAL SELECTION
- 10.1. Main lithium producers and lithium sources
- 10.2. Cobalt From ore to metal
- 10.3. Cathode materials for primary cells

10.4.	Cathode materials for secondary cells
10.5.	New cathode materials - FDK Corporation
10.6.	Graphite for batteries
10.7.	Anodes
10.8.	Anode alternatives - other carbon materials
10.9.	Anode alternatives - silicon, tin and alloying materials
10.10.	Summary of the electrolyte properties
10.11.	Liquid electrolytes
10.12.	Types of polymer electrolytes
10.13.	Solid-state electrolytes
10.14.	Gel Electrolytes
10.15.	Binders - aqueous vs. non-aqueous
10.16.	Current collectors
10.17.	Current collectors and packaging
11.	APPLICATIONS
11.1.	Introduction to Applications
11.1.1.	Applications of battery with new form and structural factors
11.1.2.	Power range for electronic and electrical devices
11.2.	Wearables: Stagnating?
11.2.1.	The growth of wearables
11.2.2.	Changes towards wearable devices
11.2.3.	Batteries are the main bottleneck of wearables
11.2.4.	Wearables at different locations of a human body
11.2.5.	Wearables: smart watch, wristband and bracelet
11.2.6.	Battery requirements
11.2.7.	Wrist-worn application examples with flexible batteries
11.2.8.	Ankle/foot-worn application examples
11.2.9.	Head/eye-worn application examples
11.2.10.	Electronic apparel & glove and textiles
11.2.11.	Military
11.2.12.	Other wearable application examples
11.2.13.	Summary and conclusions for wearable applications
11.3.	Medical and Cosmetic: Huge Opportunities?
11.3.1.	Mobile healthcare: Huge growth potential
11.3.2.	Cosmetic skin patches
11.3.3.	Iontophoresis for cosmetics
11.3.4.	Cardiovascular monitoring patch
11.3.5.	Wireless inpatient monitoring
11.3.6.	Temperature monitoring
11.3.7.	Life Science Technology
11.3.8.	Conformal displacement sensor
11.3.9.	Medical skin patches - the dark horse
11.3.10.	A list of increasing number of medical skin patch products
11.3.11.	Medical implants
11.4.	Consumer Electronics: What Next?
11.4.1.	Future trend in battery for consumer electronics
11.4.2.	Flexibility: Big giants' growing interest
11.4.3.	Thinness is still required for now and future
11.4.4.	Slim consumer electronics
11.4.5.	New market: Thin batteries can help to increase the total capacity
11.4.6.	Will modular phones be the direction of the future?
11.4.7.	Thin and flexible supercapacitor for consumer electronics

11.5.	From Sensors to Internet of Things
11.5.1.	Something new vs Renamed world of mobile phones
11.5.2.	Internet of Things
11.5.3.	Batteries for IoT
11.5.4.	Power supply options for WSN
11.5.5.	Rod-shape battery - examples
11.5.6.	Novel examples of thin batteries in IoT devices
11.5.7.	Golf sensor patch powered by printed battery
11.5.8.	Smart device powered by solid-state battery
11.5.9.	Thoughts about thin and flexible batteries in novel devices
11.5.10.	Maintenance-free wireless power for the IoT: Ready or not?
11.5.11.	Micro-batteries integrated with energy harvesting devices
11.5.12.	Real time clock backup, SRAM backup and microcontroller (MCU)
11.5.13.	RFID sensors/ tags with thin batteries
11.5.14.	Examples of thin batteries used in RFID tags/ sensors
11.6.	Smart Packaging and Advertising
11.6.1.	Smart packaging and advertising examples
11.6.2.	Audio Paper™ developed by Toppan Printing
11.6.3.	Case studies of power for smart packaging
11.7.	Powered Smart Cards
11.7.1.	Where will the powered smart cards go?
11.7.2.	Arrangement of batteries in smart cards
11.7.3.	Battery alternative solution
11.7.4.	Changes in smart card field
11.8.	Other Markets
11.8.1.	Application examples
11.8.2.	How about printed battery for other disposable applications
12.	FAILURE STORIES
12.1.	Companies that have stopped trading
13.	END-USER INTERVIEWS
14.	GLOSSARY AND ABBREVIATIONS
14.1.	Glossary
14.2.	Abbreviations
15.	GLOBAL PLAYERS
15.1.	List of global players with descriptions
16.	COMPANY PROFILES
16.1.	24M
16.2.	BattFlex/Enerol nanotechnologies
16.3.	Blue Spark
16.4.	BrightVolt
16.5.	Cymbet
16.6.	Enfucell Flexible Electronics
16.7.	FlexEl
16.8.	Fraunhofer ENAS, Technische Universitaet Chemnitz
16.9.	Front Edge Technology
16.10.	FullRiver Battery New Technology
16.11.	Hitachi Zosen Corporation
16.12.	Huizhou Markyn New Energy
16.12.	Imprint Energy
16.14.	llika
16.15.	Jenax

16.16. Johnson Battery Technologies

- 16.17. Kalptree Energy
- 16.18. Lionrock Batteries
- 16.19. MIT
- 16.20. Paper Battery Company
- 16.21. PolyPlus/Ohara
- 16.22. Prelonic Technologies
- 16.23. ProLogium
- 16.24. Printed Energy
- 16.25. Rocket Electric
- 16.26. Sakti3
- 16.27. STMicroelectronics